

[illegible]

US-Kbd	Octal	Hex	Unicode	HTML	Details
Alt-"	\242	A2	U+00A2	¢	¢ cent sign
Alt-#	\243	A3	U+00A3	£	£ Pound sign (British)
Alt-\$	\244	A4	U+20AC	€	€ Euro sign (in ISO-8859-15)
Alt-%	\245	A5	U+00A5	¥	¥ Yen sign (Japanese)
Alt-0	\260	B0	U+00B0	°	° degrees
Alt-<	\274	BC	U+00BC	¼	¼ fraction one-quarter
Alt-<	\274	BC	U+0152	Œ	Œ OE ligature, French (in ISO-8859-15)
Alt-=	\275	BD	U+00BD	½	½ fraction one-half
Alt-=	\275	BD	U+0153	&oeelig;	œ oe ligature, French (in ISO-8859-15)
Alt->	\276	BE	U+00BE	¾	¾ fraction three-quarters
Alt->	\276	BE	U+0178	Ÿ	ÿ Y diaeresis, French (in ISO-8859-15)
Alt-!	\241	A1	U+00A1	¡	¡ upside-down exclamation mark
Alt-+	\253	AB	U+00AB	&lquo;	« close (or open) chevron-style quotes
Alt-;	\273	BB	U+00BB	&rquo;	» open (or close) chevron-style quotes
Alt-?	\277	BF	U+00BF	¿	¿ upside-down question mark
Alt-@	\300	C0	U+00C0	À	À capital A, grave accent
Alt-A	\301	C1	U+00C1	Á	Á capital A, acute accent
Alt-B	\302	C2	U+00C2	Â	Â capital A, circumflex accent
Alt-C	\303	C3	U+00C3	Ã	Ã capital A, tilde
Alt-D	\304	C4	U+00C4	Ä	Ä capital A, umlaut mark
Alt-E	\305	C5	U+00C5	Å	Å capital A, ring
Alt-F	\306	C6	U+00C6	Æ	Æ capital AE diphthong
Alt-G	\307	C7	U+00C7	Ç	Ç capital C, cedilla
Alt-H	\310	C8	U+00C8	È	È capital E, grave accent
Alt-I	\311	C9	U+00C9	É	É capital E, acute accent
Alt-J	\312	CA	U+00CA	Ê	Ê capital E, circumflex accent
Alt-K	\313	CB	U+00CB	Ë	Ë capital E, umlaut mark
Alt-L	\314	CC	U+00CC	Ì	Ì capital I, grave accent
Alt-M	\315	CD	U+00CD	Í	Í capital I, acute accent
Alt-N	\316	CE	U+00CE	Î	Î capital I, circumflex accent
Alt-O	\317	CF	U+00CF	Ï	Ï capital I, umlaut mark
Alt-P	\320	D0	U+00D0	Ð	Ð capital Eth, Icelandic
Alt-Q	\321	D1	U+00D1	Ñ	Ñ capital N, tilde
Alt-R	\322	D2	U+00D2	Ò	Ò capital O, grave accent
Alt-S	\323	D3	U+00D3	Ó	Ó capital O, acute accent
Alt-T	\324	D4	U+00D4	Ô	Ô capital O, circumflex accent
Alt-U	\325	D5	U+00D5	Õ	Õ capital O, tilde
Alt-V	\326	D6	U+00D6	Ö	Ö capital O, umlaut mark
Alt-X	\330	D8	U+00D8	Ø	Ø capital O, slash
Alt-Y	\331	D9	U+00D9	Ù	Ù capital U, grave accent
Alt-Z	\332	DA	U+00DA	Ú	Ú capital U, acute accent
Alt-[	\333	DB	U+00DB	Û	Û capital U, circumflex accent
Alt-\	\334	DC	U+00DC	Ü	Ü capital U, umlaut mark
Alt-]	\335	DD	U+00DD	Ý	Ý capital Y, acute accent
Alt-^	\336	DE	U+00DE	Þ	Þ capital THORN, Icelandic
Alt- <u></u>	\337	DF	U+00DF	ß	ß sz ligature, German
Alt-`	\340	E0	U+00E0	à	à small a, grave accent
Alt-a	\341	E1	U+00E1	á	á small a, acute accent
Alt-b	\342	E2	U+00E2	â	â small a, circumflex accent
Alt-c	\343	E3	U+00E3	ã	ã small a, tilde
Alt-d	\344	E4	U+00E4	ä	ä small a, umlaut mark
Alt-e	\345	E5	U+00E5	å	å small a, ring
Alt-f	\346	E6	U+00E6	æ	æ small ae diphthong
Alt-g	\347	E7	U+00E7	ç	ç small c, cedilla
Alt-h	\350	E8	U+00E8	è	è small e, grave accent
Alt-i	\351	E9	U+00E9	é	é small e, acute accent
Alt-j	\352	EA	U+00EA	ê	ê small e, circumflex accent
Alt-k	\353	EB	U+00EB	ë	ë small e, umlaut mark
Alt-l	\354	EC	U+00EC	ì	ì small i, grave accent
Alt-m	\355	ED	U+00ED	í	í small i, acute accent
Alt-n	\356	EE	U+00EE	î	î small i, circumflex accent
Alt-o	\357	EF	U+00EF	ï	ï small i, umlaut mark
Alt-p	\360	F0	U+00F0	ð	ð small eth, Icelandic
Alt-q	\361	F1	U+00F1	ñ	ñ small n, tilde
Alt-r	\362	F2	U+00F2	ò	ò small o, grave accent
Alt-s	\363	F3	U+00F3	ó	ó small o, acute accent
Alt-t	\364	F4	U+00F4	ô	ô small o, circumflex accent



Alt-u	\365	F5	U+00F5	õ	õ	small o, tilde
Alt-v	\366	F6	U+00F6	ö	ö	small o, umlaut mark
Alt-x	\370	F8	U+00F8	ø	ø	small o, slash
Alt-y	\371	F9	U+00F9	ù	ù	small u, grave accent
Alt-z	\372	FA	U+00FA	ú	ú	small u, acute accent
Alt-{	\373	FB	U+00FB	û	û	small u, circumflex accent
Alt-	\374	FC	U+00FC	ü	ü	small u, umlaut mark
Alt-}	\375	FD	U+00FD	ý	ý	small y, acute accent
Alt-~	\376	FE	U+00FE	þ	þ	small thorn, Icelandic
	\377	FF	U+00FF	ÿ	ÿ	small y, umlaut mark

Unicode code-point e.g. **U+20AC** can be expressed in Perl as `\x{20ac}` or in Python3 as `\u20ac` or in HTML as `€`

See: [P J B Computing](http://PJBComputing.com), www.pjb.com.au, en.wikipedia.org/wiki/Latin-9 or unicode.org/charts/charindex.html